

### Quick Reference guide

## **CFE-Plus**



# QUICK REFERENCE GUIDE

### WHAT IS THE CFE-PLUS

The CFE-Plus is the enhanced version of the CFE (Canbus Function Extender). It literally adds functions to your Volvo without making permanent changes! So no dealership/service worries, CFE out = car original! Choose the CFE-Plus in case you want even more functions available than with the CFE added to your Volvo.

### KNOWLEDGE/TOOLS AND EXTRA'S REQUIRED

For the use of the CFE-Plus nothing more is required than a Volvo matching the product selection in our website and a PC at home to make nice selections and tweeks to the configuration so it fits your personal needs and requirements!

Download, install and run the <u>UPDATER-TOOL</u>, connect the CFE-Plus to the (supplied) config cable and connect it to a free USB port on your Windows PC, that's it!

### FUNCTIONS AVAILABLE IN THE CFE-PLUS

Please download, install and run the updater-tool to your Windows PC as described above. Press the button "DL Latest" (it downloads the latest available firmware for the CFE-Plus). Then enter "settings".

Enter the VIN of your car here to see which functions the CFE-Plus has available for a Volvo matching the vin you've entered. Read the help texts to get understanding on how functions work.

### COMPATIBILITY

The CFE-Plus is compatible with all Volvo's where the CFE-Plus is listed at the "Function Extenders" submenu on the left side (see website).

Please see the overview at the end of this document for further compatibility information.

### SUPPLIED IN SET

The following products are supplied in the CFE-Plus set:



© 2017 VolvoTech.EU the Netherlands - support@volvotech.eu - 0031-6 1908 3165 - www.volvotech.eu

Instruction# 0180	Version# 1.00	Part# VT-0180	EAN# 871932411548	Author: BE	

### Quick Reference guide

# **CFE-Plus**



### TECHNICAL DATA

Power source: 13.4V (9V-18V allowable), Negative GND, Current consumption active: ~300mA, Current consumption "sleep" (ingition off) ~2mA, Dimensions (WxHxD cm) 5x3x2, Weight CPU (gram) 150. Requires Windows PC (Windows 7,8 or 10) for configuration changes. CFE-Plus connects to both Lowspeed canbus and High-speed canbus.

### WARRANTY

The CFE-Plus comes with a full year of warranty on the hardware (CPU). Since the functions will extend periodically, new functions will become available, presented in new firmware. These updates might contain bugs (software bugs). A full warranty description is available (and presented to you for approval) online, when finishing a sales transaction with us.

### **COMPATIBILITY LIST**

### Please see Volvo compatibility here:

Your Volvo	MY range	CFE obd v1 full	Cfe obd v1 LE	Cfe obd v1 plus
M		Development state : stopped bugfixing only	Development state : stopped bugfixing only	Development state : avtive (high) function requests can be sent
C30	2006-2012	Not supported, not planned	Not supported, not planned	Not supported currently, in development
C70	2006-2012	Not supported, not planned	Not supported, not planned	Not supported currently planned
S40	2003-2006	Not supported, not planned	Not supported, not planned	Not supported currently, in development
S40	2007-2011	Not supported, not planned	Not supported, not planned	Not supported currently, in development
S60	2000-2004	supported	Not supported, not planned	In development, available soon
S60	2005-2009	supported	supported	supported
S60	2010-2014	Not supported, not planned	Not supported, not planned	Not supported currently, planned
S60	2014-2018	Not supported, not planned	Not supported, not planned	Not supported currently, planned
S80	1999-2004	supported	Not supported, not planned	In development, available soon
580	2005-2006	supported	supported	supported
S80	2007-2010	Not supported, not planned	Not supported, not planned	Not supported currently, in development
S80	2011-2014	Not supported, not planned	Not supported, not planned	Not supported currently, planned
S80	2015-2018	Not supported, not planned	Not supported, not planned	Not supported currently, planned
V50	2003-2006	Not supported, not planned	Not supported, not planned	Not supported currently, in development
V50	2007-2012	Not supported, not planned	Not supported, not planned	Not supported currently, in development
V70/xc70	2000-2004	In development, available soon	Not supported, not planned	In development, available soon
V70/xc70	2005-2007	supported	supported	supported
V70/xc70	2008-2010	Not supported, not planned	Not supported, not planned	Not supported currently, in development
V70/xc70	2011-2014	Not supported, not planned	Not supported, not planned	Not supported currently, planned
V70/xc70	2015-2018	Not supported, not planned	Not supported, not planned	Not supported currently, planned
XC6o	2009-2011	Not supported, not planned	Not supported, not planned	Not supported currently, in development
XC6o	2012-2014	Not supported, not planned	Not supported, not planned	Not supported currently, planned
XC60	2015-2018	Not supported, not planned	Not supported, not planned	Not supported currently, planned
Xc90	2003-2004	In development, available soon	Not supported, not planned	In development, available soon
Xc90	2005-2008	supported	supported	supported
XC90	2009-2011	supported	supported	supported
Xc90	2012-2014	supported	supported	In development, available soon

List is subject to change!

© 2017 VolvoTech.EU the Netherlands - <a href="mailto:support@volvotech.eu">support@volvotech.eu</a> - 0031-6 1908 3165 - <a href="mailto:support@volvotech.eu">www.volvotech.eu</a>

Instruction# 0180	Version# 1.01	Part# VT-0180	EAN# 871932411548	Author: BE	
!					



## Quick Reference guide

# **CFE-Plus**



#### **FUNCTION OVERVIEW**

### Please see functionality availability here:

FUNCTION	OPTION	CFE obd v1 full		Cfe obd v1 LE		Cfe obd v1 plus	
		MY 00-04	MY 05-up	MY 00-04	MY 05-up	MY 00-04	MY 05-up
Change configuration / make settings with updater tool		Υ	Υ	N	N	Y	Y
Lock all doors and trunk when car reaches X speed		Υ	Υ	N		Υ	Υ
Unlock all doors and trunk		Υ	Υ	N		Υ	Υ
Retract the Mirrors	1	Υ	Υ	N	CDST	Υ	Υ
Extend the Mirrors	1	Υ	Υ	N	CDST	Υ	Υ
Enable angling function on the memory mirrors	2	Y	Υ	N		Υ	Y
Enable passenger window auto-up		Y	N	N		Y	Y
Enable intermittent window wiping		Y	N	N		Y	Y
Enable wash/wipe with extra wipe		Y	N Y	N N	CDST	Y	Y
Use the remote control keyfob to close windows + sunroof  Use the remote control keyfob to open		Y	Y	N N	CDST	Y	Y
Switch on the rear window and mirror heating at temp X		Y	N	N		Y	Y
Extend Indicators to blink at least X times		Y	N	N		Y	Y
Extend High Beam to include fog lights	3	Y	N	N		Y	Y
Extend Approach lighting using Low beam head lights		Y	N	N		Y	Y
Extend Approach lighting using Fog lights	3	Y	N	N		Y	Y
Extend Approach lighting using Reversing lights		Y	Υ	N		Υ	Υ
Enable daytime running lights	3	Y	N	N		Υ	Υ
Switch on Approach lighting at unlock		Υ	Υ	N	DS	Y	Y
Switch on Approach lighting at key removal		Υ	Υ	N		Υ	Υ
Switch on Approach lighting when a door is openend		N	N	N		Υ	Υ
Switc <mark>h on</mark> Approach lighting only when twilight or dark outside		N	N	N		Υ	Υ
Switch parking heater on/off when unlock is pressed 3 times	4	Y	Υ	N	S	Υ	Υ
Set driver seat heating after engine start at temp X	5	Y	N	N		Υ	Υ
Se <mark>t passenter seat heating after engine start at temp X</mark>	5	Y	N	N	- VA V	Υ	Υ
E <mark>nabl</mark> e Gauge sweep at "ignition on"	.44	Υ	Υ	N	T	Υ	Υ
D <mark>im :</mark> show welcome and goodbye text		Υ	Υ	N	$VAU\Delta$	Υ	Υ
Dim: show Engine speed RPM		Υ	Υ	N	DT	Υ	Υ
Dim: show current speed Km/h or mph		Υ	Υ	N	DT	Υ	Υ
Dim: show battery voltage		Y	Υ	N	ST	Υ	Υ
Dim: Cabin temp in C/F		Y	Υ	N	ST	Υ	Υ
Dim : Coolant temp in C/F		Υ	Υ	N		Υ	Υ
Dim: Fuel level in Liters/Gallons		Y	Y	N	DT	Y	Y
Dim Acceleration test o-100kmh / o-60mph		Y	Y	N	Т	Y	Y
Dim: Transaxle oil temp in C/F	6	N	N N	N		Y	Y
Dim: Engine oil temp in C/F Dim: Haldex oil temp in C/F	7 8	N N	N N	N N		Y	Y
Dim: Multi-info 1 (multi info on 1 line) metric/imperial	0	N	N	N		Y	Y
Dim: Multi-info 2 (multi info on 1 line) metric/imperial		N	N	N		Y	Y
Dim: show parking sensor front	9	N	N	N		Y	Y
Dim: show parking sensor rear	10	N	N	N		Y	Y
Dim: show current selected gear	11	N	N	N		Y	Y
Dim: Force PDC info on DIM (if diminfo is visible)	9/10	N	N	N		Y	Y
Accept RTI warning	12	N	N	N		Υ	Υ
Enable DTC read and store in CFE-Plus (read error codes)		N	N	N		Υ	Υ
Enable DTC clear (clear error codes)		N	N	N		Υ	Υ
Mute HU volu <mark>me w</mark> hen in reverse gear		Υ	Υ	N		Υ	Υ
Set cruise control to standy after engine start		Υ	Υ	N		Υ	N
Option							
1 Requires electrical folding mirrors							
2 Requires memory mirrors							
3 Requires fog lights							
4 Requires programmable parking heater							
5 Requires heated seats							
6 Requires Automatic / Geartronic					1		
7 Requires a Turbo engine					-		
8 Requires AWD							
9 Requires parking sensors front					-		
10 Requires parking sensors rear							
11 Requires Automatic / Geartronic	<del>                                     </del>				-		
12 Requires RTI navigation				-	-		
C = Comfort Edition (CFE LE)	1			1	1		
C = Comfort Edition (CFE LE)  D = Driver Edition (CFE LE)	-				1		
S = Season Edition (CFE LE)	-			<del> </del>	1		
T = Tech Edition (CFE LE)							
co., za/don (Ci z zz)	<u> </u>			I	1		

List is subject to changes!

 $@\ 2017\ Volvo Tech. EU\ the\ Netherlands\ -\ \underline{support@volvo tech.eu}\ -\ 0031-6\ 1908\ 3165\ -\ \underline{www.volvo tech.eu}$ 

Instruction# 0180	Version# 1.01	Part# VT-0180	EAN# 871932411548	Author: BE	